EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S77	0	704/2.ccis. translat \$4 ((attribut\$3 or propert\$4) adj file) (line near2 (number or count \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 09:05
S76	2	704/2.ccls. translat \$4 ((attribut\$3 or propert\$4) adj file) (cost or charg\$3 or (line near2 (number or count \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:59
S75	5	704/2.ccls. translat \$4 ((attribut\$3 or propert\$4) adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:56
S74	721	704/2.ccls. translat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:56
S73	7	717/107.ccls. translat\$4 (propert \$4 adj2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:51
S72	4	717/107.ccls. (translat\$4 message) (propert \$4 adj2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:50
S71	64	717/107.ccls. (translat\$4 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/12 08:50

S70	0	717/123.cols. (translat\$4 near9 ((cost or charg\$3 or help or topic or message or document\$6) (language or natural or lingual or linguist\$6))) ((propert\$4 or attribute) adj2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MAND	ON	2008/07/11 09:25
S69	7	717/123.ccls. (translat\$4 near9 ((cost or charg\$3 or help or topic or message or document\$6) (language or natural or lingual or linguist\$6)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 09:01
S68	0	717/101.ccls. (translat\$4 near9 ((cost or charg\$3 or help or topic or message or document\$6) (language or natural or lingual or linguist\$6))) (propert\$4 adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 09:01
S67	12	717/101.ccls. (translat\$4 near9 ((cost or charg\$3 or help or topic or message or document\$6) (language or natural or lingual or linguist\$6)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:59
S66	22	717/101.ccls. (translat\$4 near9 ((cost or charg\$3 or help or topic or message or document\$6)) (language or natural or lingual or linguist\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:19

S65	25	717/101.ccls. (translat\$4 near9 (cost or charg\$3 or help or topic or message or document\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MAND	ON	2008/07/11 08:17
S64	6	(((help near2 topic) or message) near8 translat\$4) (propert\$3 adj file) (translat\$4 near9 (charg\$3 or cost \$3 or estimat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:13
S63	5	(((help near2 topic) or message) near8 translat\$4) (propert\$3 adj file) (translat\$4 near9 (charg\$3 or cost \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:13
S62	96	(((help near2 topic) or message) near8 translat\$4) (propert\$3 adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:12
S60	5	((message or lingual or linguist \$4 or language) near9 translat\$4) ((cost or charg\$3 or estimat\$4) near9 (line or translat\$3)) (propert\$4 adj file \$1) (line near6 (number or count \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 08:03
S59	50	((message or lingual or linguist \$4 or language) near9 translat\$4) (cost or charg\$3 or estimat\$4) (propert\$4 adj file \$1) (line near6 (number or count \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O Z	2008/07/11 08:02

S58	3	((message or linguist \$4 or language) near9 translat\$4) (translat\$4 near9 (cost or charg\$3 or estimat\$4)) (propert\$4 adj file \$1) (line near6 (number or count \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MAND	ON	2008/07/11 07:52
S57	10	((message or lingual or linguals \$4 or language) near9 translat\$4) (translat\$4 near9 (cost or charg\$3 or estimat\$4)) (propert\$4 adj file \$1) line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	N	2008/07/11 07:51
S56	14	((message or lingual or linguals \$4 or language) near3 translat\$4) (translat\$4 near4 (cost or charg\$3)) (propert\$4 adj file \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 07:47
S55	504	((message or lingual or linguist \$4 or language) near3 translat\$4) (translat\$4 near4 (cost or charg\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 07:46
S54	45	((money or charg \$3) with (line near4 (count\$4 or number))) (time near6 (translat\$4 or log\$2 or logg \$4)) (translat\$4 or log\$2 or logg\$4). clm. (cost or money or charg\$4 or estimat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 10:03

S53	***************************************	((money or charg \$3) with (line near4 (count\$4 or number))) (time near6 (translat\$4 or log\$2 or logg \$4)) (translat\$4 or log\$2 or logg\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MAND	O	2008/07/10 10:03
S52	300	\$\((\text{((money or charg \$3)}\) with (line near4 (count\$4 or number))) (time near6 (translat\$4 or log\$2 or logg \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 10:02
S51	4156	\$3) with (line near4 (count\$4 or number)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 10:01
S50	36	(((((money or charg \$3) translat\$4) with (line near4 (count\$4 or number)))) (time near6 (translat \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:59
S49	1	(((((money or charg \$3) translat\$4) with (line near4 (count\$4 or number)))) translat \$4.clm. ((money or charg\$3 or translat\$4) near9 (time or interval))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:57
S48	6	((((money or charg \$3) translat\$4) with (line near4 (count\$4 or number)))) translat \$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:56
S47	126	(((((money or charg \$3) translat\$4) with (line near4 (count\$4 or number))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:56

S46	2	(((money translat \$4) with (line near4 (count\$4 or number))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:56
S45	41	(((cost\$3 translat \$4) with (line near4 (count\$4 or number))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:55
S44	6	((cost\$3 with (line near4 (count\$4 or number))) same translat\$4) translat \$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:53
S43	43	((cost\$3 with (line near4 (count\$4 or number))) same translat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:53
S42	5	((cost with (line near4 count\$4)) same translat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:52
S41	3	(cost with (line near4 count\$4) with translat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:51
S40	3	(cost with (line near4 count\$2) with translat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:51
S39	3	((line near4 count \$2) with cost with translat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:51
S38	9	((line near2 count \$2) with (cost or estimat\$3)) (translat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:45

S37	9	(((line near2 count \$2) with (cost or estimat\$3)) (cost estimat\$3) (cost or estimat\$3 or message or translat\$4).clm. translat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:45
S36	25	((line near2 count \$2) with (cost or estimat\$3)) (cost estimat\$3) (cost or estimat\$3 or message or translat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O X	2008/07/10 09:44
S35	22	((line near2 count \$2) with (cost or estimat\$3)) (cost estimat\$3) (cost or estimat\$3 or message).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:44
S34	42	((line near2 count \$2) with (cost or estimat\$3)) (cost estimat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:44
S33	156	((line near2 count \$2) with (cost or estimat\$3)) (cost or estimat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:44
S32	19	(((line near2 count \$2) with (message or cost or estimat\$3)) ((cost estimat\$4)) ((time or interval) near7 (cost or estimat\$3 or message)) (message or cost or estimat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:42
S31	8	((line near2 count \$2) near9 (message or cost or estimat\$3)) ((cost estimat\$4)) ((time or interval) near7 (cost or estimat\$3 or message)) message.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:41

S30	3	((line near2 count \$2) near6 (cost or estimat\$3)) ((cost estimat\$4)) ((time or interval) near7 (cost or estimat\$3 or message.)) message.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:41
S29	69	(line near2 count \$2) ((cost estimat \$4)) ((time or interval) near7 (cost or estimat\$3 or message)) message.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:40
S28	9	(line near2 count \$2) ((cost with estimat\$4)) ((time or interval) near7 (cost or estimat\$3 or message)) message.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:40
S27	159	(line near2 count \$2) ((cost with estimat\$4)) ((time or interval) near7 (cost or estimat\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:40
S26	7	(line near2 count \$2) ((cost estimat \$4) with message) ((time or interval) near7 (cost or estimat\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:39
S25	2	(line near2 count \$2) ((cost estimat \$4) same message) ((time or interval) near7 (cost or estimat\$3 or message)) business.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:39
S24	1	[(line near2 count \$2) ((cost estimat \$4) with message) ((time or interval) near7 (cost or estimat\$3 or message)) business.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:38

S23	2	(line adj count) (cost estimat\$4) message ((time or interval) near7 (cost or estimat\$3 or message)) business.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:37
S22	145	(line adj count) (cost estimat\$4) message ((time or interval) near7 (cost or estimat\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:37
S21	153	(line adj count) (cost estimat\$4) message ((time or interval) same (cost or estimat\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:37
S20	154	(line adj count) (cost estimat\$4) message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:36
S17	111	((multi\$1 anguage or language or lingual or lingui\$8) with translat\$4) (cost\$2 estimat \$4) (propert\$3 adj file\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 09:22
S16	4	(propert\$4 adj2 file) business.as. (message translat \$4) (ligual or lingui \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:38
S15	96	(propert\$4 adj2 file) business.as. (message translat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:37
S14	307	(propert\$4 adj2 file) business.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:37
S13	2	(propert\$4 adj2 file) (estimat\$4 same cost\$3 same (number or line)) business.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:37

S12	4	(propert\$4 adj2 file) (estimat\$4 same cost\$3 same (number or line)) translat\$6. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O	2008/07/09 16:36
S11	69	(propert\$4 adj2 file) (estimat\$4 same cost\$3 same (number or line)) translat\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:35
S9	62	(propert\$4 adj2 file) (message translat\$4) (estimat\$4 same cost\$3 same (number or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:34
S8	100	(propert\$4 adj2 file) (message translat\$4) (estimat\$4 same cost\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:34
S7	3	(propert\$4 adj2 file) (line near8 count\$4) (message translat \$4) (estimat\$4 same cost\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:33
S6	18	(propert\$4 adj2 file) (line near8 count\$4) (message translat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:33
S5	2	(propert\$4 adj2 file) (line near8 count\$4) (message translat \$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:32
S3	35	(lingual or lingui \$6) (message translat\$4) (cost \$3 or estimat\$4) (propert\$4 adj2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:21
S2	4	((lingual or lingui \$6) same (message translat \$4)) (propert\$4 adj2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/09 16:20

S1 114	((lingual or lingui	US-PGPUB;	AND	ON	2008/07/09 16:19
	\$6) same	USPAT; USOCR;			
	(message translat	FPRS; EPO; JPO;			
	\$4))	DERWENT;			
		IBM_TDB			

7/12/2008 10:24:27 AM

C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\10 685 806 analysing messages.wsp